

CBSE Sample Paper – 2015 Class – 12th Subject - Chemistry

JNV KODINAR

Class-12	JNV KODINAR	M.marks 25
	chap-10,11 	IVI.IIIdIKS 25
1.	Why sulphuric acid is not used during the reaction of alcohols with KI?	1
2.	Explain swarts reaction.	1
3.	How o- and p- niterophenols are separated?	1
4.	Conert (a) ethyl manesium chloride to propan-1-ol (b) o-hydroxy benzoic acid from	2
-	phenol.	2
5.	How is 1-propoxypropane synthesised from propan-1-ol? Write mechanism.	2
6.	Alcohol is weak acid than phenol, explain.	2
7.	Convert (a)chlorobenzene to p-nitrophenol. (b)bromomethane to propanone.	2
	JNV KODINAR	
Class-12	chap-10,11	M.marks 25
1.	Why sulphuric acid is not used during the reaction of alcohols with KI?	1
2.	Explain swarts reaction.	1
3.	How o- and p- niterophenols are separated?	1
4.	Conert (a) ethyl manesium chloride to propan-1-ol (b) o-hydroxy benzoic acid from	
	phenol.	2
5.	How is 1-propoxypropane synthesised from propan-1-ol? Write mechanism.	2
6.	Alcohol is weak acid than phenol, explain.	2
7.	Convert (a)chlorobenzene to p-nitrophenol. (b)bromomethane to propanone.	2
	JNV KODINAR	
Class-12	chap-10,11	M.marks 25
1.	Why sulphuric acid is not used during the reaction of alcohols with KI?	1
2.	Explain swarts reaction.	1
3.	How o- and p- niterophenols are separated?	1
4.	Conert (a) ethyl manesium chloride to propan-1-ol (b) o-hydroxy benzoic acid from phenol.	2
_	How is 1-propoxypropane synthesised from propan-1-ol? Write mechanism.	2
5.		2
6. 7	Alcohol is weak acid than phenol, explain.	2
7.	Convert (a)chlorobenzene to p-nitrophenol. (b)bromomethane to propanone.	2
	JNV KODINAR	
Class-12	chap-10,11	M.marks 25
1.	Why sulphuric acid is not used during the reaction of alcohols with KI?	1
2.	Explain swarts reaction.	1
3.	How o- and p- niterophenols are separated?	1
4.	Conert (a) ethyl manesium chloride to propan-1-ol (b) o-hydroxy benzoic acid from phenol.	2
5.	How is 1-propoxypropane synthesised from propan-1-ol? Write mechanism.	2
6.	Alcohol is weak acid than phenol, explain.	2
7.	Convert (a)chlorobenzene to p-nitrophenol. (b)bromomethane to propanone.	2
	JNV KODINAR	
Class-12	chap-10,11	M.marks 25
1.	Why sulphuric acid is not used during the reaction of alcohols with KI?	 1
2.	Explain swarts reaction.	1
3.	How o- and p- niterophenols are separated?	1
3. 4.	Conert (a) ethyl manesium chloride to propan-1-ol (b) o-hydroxy benzoic acid from	1
4.		2
F	phenol. How is 1 proposypropana synthesised from propan 1 ol? Write machanism	
5.	How is 1-propoxypropane synthesised from propan-1-ol? Write mechanism.	2
6. 7	Alcohol is weak acid than phenol, explain.	2
7.	Convert (a)chlorobenzene to p-nitrophenol. (b)bromomethane to propanone.	2



CBSEGuess.com

JNV KODINAR

s-12	JNV KODINAR chap-10,11	M.marks 25
	Wiles a laboration of a labora	1
1.	Why sulphuric acid is not used during the reaction of alcohols with KI?	1
2.	Explain swarts reaction. How o- and p- niterophenols are separated?	1
3. 4.	Conert (a) ethyl manesium chloride to propan-1-ol (b) o-hydroxy benzoic acid from	1
4.	phenol.	2
_	•	2
5. 6.	How is 1-propoxypropane synthesised from propan-1-ol? Write mechanism. Alcohol is weak acid than phenol, explain.	2 2
o. 7.	Convert (a)chlorobenzene to p-nitrophenol. (b)bromomethane to propanone.	2
,,	convert (a)emoroscrizene to p introphenor. (s)sromometrane to proparione.	-
8.	Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride?	
9.	i. (b) grignard reagent should be prepared under anhydrous condition. Explain $S_N{\bf 1}$ and $S_N{\bf 2}$ reaction.	2 3
10.		3
10.	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give different from the compound formed when n-butyl bromide is reacted with Na metal. Give the	
	(a) and write the equations.	3
11	Explain williamsons synthesis in detail. Also write its limitations.	3
	Explain (i)what ismeant by hydroboration-oxidation reaction?Illustrate with example.	3
	(ii)give the equation of preparation of phenol from cumene.	3
8.	Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride?	
	(b) grignard reagent should be prepared under anhydrous condition.	2
9.E	Explain $S_N 1$ and $S_N 2$ reaction.	3
	Primary alkyl halide C4H9Br (a) reacted with alc. KOH to give compound (b). Compound (b) is	
	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give different from the compound formed when n-butyl bromide is reacted with Na metal. Give the	
	(a) and write the equations.	3
11.	Explain williamsons synthesis in detail. Also write its limitations.	3
12.	Explain (i)what ismeant by hydroboration-oxidation reaction?Illustrate with example. (ii)give the equation of preparation of phenol from cumene.	3
8.	Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride? (b) grignard reagent should be prepared under anhydrous condition.	2
9.E	Explain $S_N 1$ and $S_N 2$ reaction.	3
	Primary alkyl halide C4H9Br (a) reacted with alc. KOH to give compound (b). Compound (b) is	
	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give different from the compound formed when n-butyl bromide is reacted with Na metal. Give the	• • • • • • • • • • • • • • • • • • • •
	(a) and write the equations.	3
11.	Explain williamsons synthesis in detail. Also write its limitations.	3
	Explain (i)what ismeant by hydroboration-oxidation reaction?Illustrate with example.	-
	(ii)give the equation of preparation of phenol from cumene.	3
8.	Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride?	
	(b) grignard reagent should be prepared under anhydrous condition.	2
9.E	Explain $S_N 1$ and $S_N 2$ reaction.	3
10.	Primary alkyl halide C4H9Br (a) reacted with alc. KOH to give compound (b). Compound (b) is	
	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give different from the compound formed when n-butyl bromide is reacted with Na metal. Give the	
	(a) and write the equations.	3
	Explain williamsons synthesis in detail. Also write its limitations.	3
12.	Explain (i)what ismeant by hydroboration-oxidation reaction?Illustrate with example. (ii)give the equation of preparation of phenol from cumene.	3
O	Evoluin why (a) the dipole moment of phlorobonane is lower than that of such hand all lands	
ŏ.	Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride?	2
	(b) grignard reagent should be prepared under anhydrous condition.	2
0.5	explain $S_N 1$ and $S_N 2$ reaction. Primary alkyl halide C4H9Br (a) reacted with alc. KOH to give compound (b). Compound (b) is	3
	Princely alkyl namne i degist rattearten with air. Klie to give compoling int Lompoling (b) is	
		\d\ C010 \\\-!-\-!-
	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give	
	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give different from the compound formed when n-butyl bromide is reacted with Na metal. Give to	he structural formu
10.	reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it give	



CBSEGuess.com

(ii)give the equation of preparation of phenol from cumene.	3	
8. Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride	?	
(b) grignard reagent should be prepared under anhydrous condition.	2	
9.Explain $S_N 1$ and $S_N 2$ reaction.	3	
10.Primary alkyl halide C4H9Br (a) reacted with alc. KOH to give compound (b). Compound (b) is	;	
reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it g	ive (d), C818 which is	
different from the compound formed when n-butyl bromide is reacted with Na metal . Give	e the structural formula o)f
(a) and write the equations.	3	
11.Explain williamsons synthesis in detail. Also write its limitations.	3	
12.Explain (i)what ismeant by hydroboration-oxidation reaction?Illustrate with example.		
(ii)give the equation of preparation of phenol from cumene.	3	
8. Explain why (a) the dipole moment of chlorobenzne is lower than that of cyclohexyl chloride	?	
(b) grignard reagent should be prepared under anhydrous condition.	2	
9.Explain $S_N 1$ and $S_N 2$ reaction.	3	
10.Primary alkyl halide C4H9Br (a) reacted with alc. KOH to give compound (b). Compound (b) is	;	
reacted With HBr to give (c) which is an isomer of (a). when (a) is reacted with Na metal it g	ive (d), C818 which is	
different from the compound formed when n-butyl bromide is reacted with Na metal . Give	e the structural formula o)f
(a) and write the equations.	3	
11.Explain williamsons synthesis in detail. Also write its limitations.	3	
12.Explain (i) what ismeant by hydroboration-oxidation reaction? Illustrate with example.		
(ii)give the equation of preparation of phenol from cumene.	3	